

Tapered roller bearing 30228J2-SKF - 30228-J2-SKF

<https://www.123bearing.eu/bearing-housing/roller-bearing/tapered/30228-j2-skf>

Dimensions d'encombrement			Charges de base		Vitesses de base		Désignation	
d	D	T	C	C ₀	Vitesse de référence	Vitesse limite		
mm			kN		tr/min			
140	250	45,75	418	570	1900	3600	* Roulement SKF Explorer 30228 J2	

Technical drawing showing dimensions and coefficients for the tapered roller bearing. Dimensions include: d = 140 mm, D = 250 mm, T = 45,75 mm, C = 38 mm, B = 42 mm, d₁ = 188 mm, D_{max} = 238 mm, D_{min} = 218 mm, D_{max} = 164 mm, D_{min} = 152 mm, C_{max} = 7 mm, C_{min} = 9,5 mm. Coefficients de calcul: ε = 0,43, Y₁ = 1,4, Y₂ = 0,8.

PRODUCT FEATURES

Brand	SKF
N° Ean13	3663952236681
Inside diameter	140 mm
Outside diameter	250 mm
Thickness	45.75 mm
Weight	8650 g
Packaging	1

contact@123bearing.eu

+33 359 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE