

# Tapered roller bearing 32320J2-SKF - 32320J2-SKF

<https://www.123bearing.eu/bearing-housing/roller-bearing/tapered/32320j2-skf>

Dimensions d'encombrement			Charges de base		Vitesses de base		Désignation	
d	D	T	C	C <sub>0</sub>	Vitesse de référence	Vitesse limite	* Roulement SKF Explorer	
mm			kN		tr/min			
100	215	77,5	572	780	2200	3600	32320 J2	

Technical drawing of a tapered roller bearing showing dimensions and coefficients. The drawing includes a side view and a cross-sectional view. Dimensions shown include: d = 100 mm, D = 215 mm, T = 77,5 mm, C = 60 mm, r = 1,775 mm, r<sub>1</sub> = 1,775 mm, r<sub>2</sub> = 1,775 mm, d<sub>1</sub> = 151 mm, C<sub>g</sub> = 6 mm, C<sub>g</sub> = 17,5 mm, D<sub>ext</sub> = 201 mm, D<sub>ext</sub> = 122 mm, D<sub>ext</sub> = 177 mm, D<sub>ext</sub> = 190 mm, D<sub>ext</sub> = 200 mm, r<sub>ext</sub> = 1,775 mm, r<sub>ext</sub> = 1,775 mm. Coefficients de calcul: e = 0,25, Y = 1,7, Y<sub>2</sub> = 0,9.

## PRODUCT FEATURES

Brand	SKF
N° Ean13	3663952156019
Inside diameter	100 mm
Outside diameter	125 mm
Thickness	77.5 mm
Weight	12500 g
Packaging	-

[contact@123bearing.eu](mailto:contact@123bearing.eu)

+33 359 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE