

## Tapered roller bearing 30221J2-SKF - 30221J2-SKF

<https://www.123bearing.eu/bearing-housing/roller-bearing/tapered/30221j2-skf>

Dimensions d'encombrement			Charges de base		Vitesses de base		Désignation	
d	D	T	C	C <sub>0</sub>	Vitesse de référence	Vitesse limite	* Roulement SKF Explorer	
mm			kN		tr/min			
105	190	39	270	355	2600	3400	-	30221 J2

Technical drawing showing dimensions and coefficients of calculation for the tapered roller bearing 30221J2-SKF. The drawing includes the following dimensions: d = 105 mm, D = 190 mm, T = 39 mm, C = 30 mm, d<sub>1</sub> = 141 mm, d<sub>2</sub> = 122 mm, d<sub>3</sub> = 177 mm, r<sub>1,2min</sub> = 3 mm, r<sub>3,4min</sub> = 2.5 mm, a = 37 mm, C<sub>dyn</sub> = 6, C<sub>stat</sub> = 9, C<sub>dyn</sub> = 179, C<sub>stat</sub> = 122, C<sub>dyn</sub> = 185, C<sub>stat</sub> = 177. Coefficients of calculation: α = 0.43, β = 1.4, γ = 0.8.

### PRODUCT FEATURES

Brand	SKF
N° Ean13	3663952237022
Inside diameter	105 mm
Inside diameter	4.134" inch
Outside diameter	190 mm
Outside diameter	7.48" inch
Thickness	39 mm
Thickness	1.535" inch
Weight	4050 g
Packaging	1
Standard	No standard

[contact@123bearing.eu](mailto:contact@123bearing.eu)

+33 359 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE